



ĐÈN ẦM TRẦN
Trang 1



ĐÈN TRẦN BÁT NỒI
Trang 8



ĐÈN RỌI TƯỜNG
Trang 10



ĐÈN GẮN THANH RAY
Trang 16



**ĐÈN GẮN THANH RAY
ĐIỆN ÁP THẤP**
Trang 19



ĐÈN VÁN PHÒNG
Trang 25



ĐÈN PANEL
Trang 26




ĐÈN TRI-PROOF
Trang 27



DẢI ĐÈN & THANH NHÔM
Trang 28

DANH MỤC SẢN PHẨM ĐÈN CHIẾU SÁNG






LED ẨM TRẦN



YT-5-2.5A

Power: 7W
Material: Iron
Voltage: AC220-240V
Lumen: 420lm
Warranty: 2 years




 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 Finished: ● ○



YT-5-3A

Power: 10W
Material: Iron
Voltage: AC220-240V
Lumen: 700lm
Warranty: 2 years






 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 Finished: ● ○



YT-5-2.5B

Power: 7W
Material: Iron
Voltage: AC220-240V
Lumen: 630lm
Warranty: 2 years



 CRI: ≥ 90
 CCT: 3000K/4000K/5700K
 Finished: ● ○



YT-5-3B

Power: 10W
Material: Iron
Voltage: AC220-240V
Lumen: 1000lm
Warranty: 2 years



 CRI: ≥ 90
 CCT: 3000K/4000K/5700K
 Finished: ● ○





YT-18-2.5A

Power: 5W
 Material: Plastic
 Voltage: AC220-240V
 Lumen: 300lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ○




YT-18-3A

Power: 7W
 Material: Plastic
 Voltage: AC220-240V
 Lumen: 420lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5700K
 SMD Finished: ○



YT-18-4A

Power: 16W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1120lm
 Warranty: 2.5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ○



YT-18-6A

Power: 26W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1820lm
 Warranty: 2.5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5700K
 SMD Finished: ○




YT-18-8A

Power: 40W
 Material: AL
 Voltage: AC220-240V
 Lumen: 3000lm
 Warranty: 2.5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5700K
 SMD Finished: ○




YT-15-2.5A

Power: 5W
 Material: Iron
 Voltage: AC220-240V
 Lumen: 400lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ● ○




YT-15-3A

Power: 7W
 Material: Iron
 Voltage: AC220-240V
 Lumen: 560lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ● ○




YT-15-4A

Power: 12W
 Material: Iron
 Voltage: AC220-240V
 Lumen: 1000lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ● ○




YT-15-6A

Power: 18W
 Material: Iron
 Voltage: AC220-240V
 Lumen: 1600lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ● ○



YT-15-8A

Power: 24W
 Material: Iron
 Voltage: AC220-240V
 Lumen: 2160lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6500K
 SMD Finished: ● ○





YT-19-2.5A

Power: 10W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 700lm
 Warranty: 2 years



CR: ≥ 80
 CCT: 3000K, 4000K, 6500K
 SMD Finished: ○



YT-19-3A

Power: 12W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 840lm
 Warranty: 2 years



CR: ≥ 80
 CCT: 3000K, 4000K, 6500K
 SMD Finished: ○



YT-19-4A

Power: 24W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1680lm
 Warranty: 2 years



CR: ≥ 80
 CCT: 3000K, 4000K, 6500K
 SMD Finished: ○



YT-19-6A

Power: 40W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 3000lm
 Warranty: 2 years



CR: ≥ 80
 CCT: 3000K, 4000K, 6500K
 SMD Finished: ○





YT-19-2.5A COB

Power: 10W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1100lm
 Warranty: 2 years


CRI: ≥ 90
 CCT: 3000K /4000K/6000K
 COB Finished: ○



YT-19-3A COB

Power: 12W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1320lm
 Warranty: 2 years

CRI: ≥ 90
 CCT: 3000K /4000K/6000K
 COB Finished: ○



YT-19-4A COB

Power: 24W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 2640lm
 Warranty: 2 years

CRI: ≥ 90
 CCT: 3000K /4000K/6000K
 COB Finished: ○



YT-20-2.5A COB

Power: 10W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1000lm
 Warranty: 2/5 years

CRI: ≥ 80
 CCT: 3000K /4000K/6000K
 SMD Finished: ○



YT-20-3A COB

Power: 15W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1500lm
 Warranty: 2/5 years

CRI: ≥ 80
 CCT: 3000K /4000K/6000K
 SMD Finished: ○



YT-20-4A COB

Power: 20W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1800lm
 Warranty: 2/5 years

CRI: ≥ 80
 CCT: 3000K /4000K/6000K
 SMD Finished: ○



YT-20-6A COB

Power: 30W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 2700lm
 Warranty: 2/5 years

CRI: ≥ 80
 CCT: 3000K /4000K/6000K
 SMD Finished: ○





LP-A0301

Power: 3W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 330lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A0501

Power: 5W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 550lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A1201

Power: 12W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 1320lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A2001

Power: 20W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 2200lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A3001

Power: 30W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3300lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A0506

Power: 5W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 550lm
Warranty: 2/5 years


CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A1206

Power: 12W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 1320lm
Warranty: 2/5 years


CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A2006

Power: 20W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 2200lm
Warranty: 2/5 years


CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:



LP-A2506

Power: 25W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 2750lm
Warranty: 2/5 years

CRI: \geq 80
CCT: 3000K/4000K/5000K
COB Finished:





LP-A0307

Power: 3W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 360lm
Warranty: 2,5 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5500K
Finished: ○ ●



LP-A0507

Power: 5W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 600lm
Warranty: 2,5 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5500K
Finished: ○ ●



LP-A1207

Power: 12W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 1320lm
Warranty: 2,5 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5500K
Finished: ○ ●



LP-A2007

Power: 20W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 2000lm
Warranty: 2,5 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5500K
Finished: ○ ●



LP-A2507

Power: 25W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3250lm
Warranty: 2,5 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5500K
Finished: ○ ●



Honey Comb



LP-A0708A

Power: 10W
Material: AL
Voltage: AC220-240V
Lumen: 900lm
Warranty: 2 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5000K
Finished: ○ ●



LP-A1208A

Power: 15W
Material: AL
Voltage: AC220-240V
Lumen: 1350lm
Warranty: 2 years

COB CRI: ≥ 80
CCT: 3000K/4000K/5000K
Finished: ○ ●





LED ẨM TRẦN

LP-B0507-1

Power: 5W
Material: AL
Voltage: AC220-240V
Lumen: 550lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○



LP-B0507-2

Power: 2x5W
Material: AL
Voltage: AC220-240V
Lumen: 1100lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○



LP-B1207-1

Power: 12W
Material: AL
Voltage: AC220-240V
Lumen: 1320lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○



LP-B1207-2

Power: 2x12W
Material: AL
Voltage: AC220-240V
Lumen: 2640lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○



LP-B2007-1

Power: 20W
Material: AL
Voltage: AC220-240V
Lumen: 2200lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○



LP-B2007-2

Power: 2x20W
Material: AL
Voltage: AC220-240V
Lumen: 4400lm
Warranty: 2/5 years

CRi: > 80
CCT: 3000K, 4000K, 5000K
COB Finished: ● ○






ĐÈN GẮN TRẦN BẬT NỔI

LP-J3001

Power: 10W
Material: AL
Voltage: AC220-240V
Lumen: 900lm
Warranty: 2 years


CR: ≥ 80
SMD CCT: 3000K/4000K/5700K
Finished: ● ○



LP-J4001

Power: 18W
Material: AL
Voltage: AC220-240V
Lumen: 1710lm
Warranty: 2 years

CR: ≥ 80
SMD CCT: 3000K/4000K/5700K
Finished: ● ○



LP-J6001

Power: 24W
Material: AL
Voltage: AC220-240V
Lumen: 2400lm
Warranty: 2 years

CR: ≥ 80
SMD CCT: 3000K/4000K/5700K
Finished: ● ○



LP-J3002

Power: 12W
Material: AL
Voltage: AC220-240V
Lumen: 1310 lm
Warranty: 2 years

CR: ≥ 80
COB CCT: 3000K/4000K/5700K
Finished: ● ○



LP-J4002

Power: 18W
Material: AL
Voltage: AC220-240V
Lumen: 1980lm
Warranty: 2 years

CR: ≥ 80
COB CCT: 3000K/4000K/5700K
Finished: ● ○



LP-J6002

Power: 24W
Material: AL
Voltage: AC220-240V
Lumen: 2400lm
Warranty: 2 years

CR: ≥ 80
COB CCT: 3000K/4000K/5700K
Finished: ● ○





LP-J2505

Power: 7W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 500lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○



LP-J3005

Power: 12W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 960lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○



LP-J4005

Power: 20W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 1600lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○



LP-J5005

Power: 25W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 2000lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○




LP-J6005

Power: 30W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 2400lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○



LP-J8005

Power: 40W
 Material: Die-casting Aluminium
 Voltage: AC220-240V
 Lumen: 3200lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 COB Finished: ● ○



LP-J3006A

Power: 7W
 Material: AL
 Voltage: AC220-240V
 Lumen: 490lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 SMD Finished: ● ○



LP-J4006A

Power: 12W
 Material: AL
 Voltage: AC220-240V
 Lumen: 900lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 SMD Finished: ● ○



LP-J5006A

Power: 15W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1100lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 SMD Finished: ● ○




LP-J6006A

Power: 20W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1400lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 SMD Finished: ● ○



LP-J8006A

Power: 25W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1800lm
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/5000K
 SMD Finished: ● ○





LP-G2011A

Power: 20W
Material: AL
Voltage: AC220-240V
Lumen: 1800lm
Warranty: 2/5 years

CRI: ≥ 90
CCT: 3000K/4000K/6000K
CCB Finished: ○ ●





LP-G0706A

Power: 7W
 Material: AL
 Voltage: AC220-240V
 Lumen: 600lm
 Warranty: 2/5 years

COB CRI: ≥ 90
 CCT: 3000K, 4000K, 5000K
 Finished:



LP-G1206A

Power: 12W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1000lm
 Warranty: 2/5 years

COB CRI: ≥ 90
 CCT: 3000K, 4000K, 5000K
 Finished:




LP-G206A

Power: 25W
 Material: AL
 Voltage: AC220-240V
 Lumen: 2250lm
 Warranty: 2/5 years

COB CRI: ≥ 90
 CCT: 3000K, 4000K, 5000K
 Finished:





LED RƠI TƯỜNG 

LP-G0711A

Power: 7W
Material: Iron
Voltage: AC220-240V
Lumen: 560 lm
Warranty: 2 years



CR: ≥ 90
CCT: 3000/4000/6500K
COB FINISHED:  





LP-G0711

Power: 7W
Material: Iron
Voltage: AC220-240V
Lumen: 560lm
Warranty: 2 years

CRI: > 95
CCT: 3000K/4000K/6500K
COB FINISHED: ●



**MODULAR DESIGN
EASY INSTALLATION**

RECESSED SERIES



LPG0711-R-1
MATERIAL: DIE-CASTING AL
SIZE: Ø200*H18mm
CUTOUT: Ø175mm
FINISHED: Black/White
CARTON: 100PCS



LPG0711-R-1F
MATERIAL: DIE-CASTING AL
SIZE: 54*54*H18mm
CUTOUT: 85*85mm
FINISHED: Black/White
CARTON: 100PCS



LPG0711-R-2F
MATERIAL: DIE-CASTING AL
SIZE: 176*94*H18mm
CUTOUT: 139*85mm
FINISHED: Black/White
CARTON: 60PCS



LPG0711-R-3F
MATERIAL: DIE-CASTING AL
SIZE: 258*94*H18mm
CUTOUT: 258*85mm
FINISHED: Black/White
CARTON: 40PCS



LPG0711-R-4F
MATERIAL: DIE-CASTING AL
SIZE: 176*176*H18mm
CUTOUT: 139*170mm
FINISHED: Black/White
CARTON: 40PCS



SURFACE MOUNTED SERIES



LPG0711-M-1
MATERIAL: DIE-CASTING AL
SIZE: Ø95*H60mm
FINISHED: Black/White
CARTON: 20PCS



LPG0711-M-1F
MATERIAL: DIE-CASTING AL
SIZE: 95*95*H60mm
FINISHED: Black/White
CARTON: 20PCS



LPG0711-M-2F
MATERIAL: DIE-CASTING AL
SIZE: 178*95*H90mm
FINISHED: Black/White
CARTON: 12PCS



LPG0711-M-3F
MATERIAL: DIE-CASTING AL
SIZE: 262*95*H90mm
FINISHED: Black/White
CARTON: 8PCS



LPG0711-M-4F
MATERIAL: DIE-CASTING AL
SIZE: 178*178*H90mm
FINISHED: Black/White
CARTON: 6PCS



LPG0711-M-3
MATERIAL: IRON
SIZE: Ø235*H60mm
FINISHED: Black/White
CARTON: 20PCS



LPG0711-M-6
MATERIAL: IRON
SIZE: Ø273*H60mm
FINISHED: Black/White
CARTON: 4PCS



LP-G0518

Power: 5W
Material: AL
Voltage: AC220-240V
Lumen: 450lm
Warranty: 2 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
COB FINISHED: ○ ●



LP-G1018

Power: 10W
Material: AL
Voltage: AC220-240V
Lumen: 900lm
Warranty: 2 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
COB FINISHED: ○ ●



LP-G1518

Power: 15W
Material: Aluminium
Voltage: AC220-240V
Lumen: 1350lm
Warranty: 2 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
COB FINISHED: ○ ●



LP-G1018

Power: 10W
Material: Aluminum
Voltage: AC220-240V
Lumen: 900lm
Warranty: 2 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
COB FINISHED: ○ ●





LED RỌI TƯỜNG █



LP-G1208

Power: 12W
Material: AL
Voltage: AC220-240V
Lumen: 960lm
Warranty: 2/5 years



● CRI: > 80
● CCT: 3000K, 4000K, 5000K
● COB Finished: ● ○



LP-G1808

Power: 18W
Material: AL
Voltage: AC220-240V
Lumen: 1440lm
Warranty: 2/5 years



● CRI: > 80
● CCT: 3000K, 4000K, 5000K
● COB Finished: ● ○



LP-G3008

Power: 30W
Material: AL
Voltage: AC220-240V
Lumen: 2400lm
Warranty: 2/5 years



● CRI: > 80
● CCT: 3000K, 4000K, 5000K
● COB Finished: ● ○



LP-G4008

Power: 40W
Material: AL
Voltage: AC220-240V
Lumen: 3200lm
Warranty: 2/5 years



● CRI: > 80
● CCT: 3000K, 4000K, 5000K
● COB Finished: ● ○





LED TRACK LIGHT

ĐÈN LED TRÊN RAIL



LP-D1002A

Power: 10W
Material: AL+PC
Voltage: AC220-240V
Lumen: 500lm
Adaptor: 2wires/3wires/4wires
Warranty: 2,5 years

CR: ≥ 80
CCT: 3000K/4000K/6000K
COB Finished: ● ○



LP-D2001A

Power: 24W
Material: AL+PC
Voltage: AC220-240V
Lumen: 1800lm
Adaptor: 2wires/3wires/4wires
Warranty: 2,5 years

CR: ≥ 80
CCT: 3000K/4000K/6000K
COB Finished: ● ○



LP-D3001A

Power: 30W
Material: AL+PC
Voltage: AC220-240V
Lumen: 2700lm
Adaptor: 2wires/3wires/4wires
Warranty: 2,5 years

CR: ≥ 80
CCT: 3000K/4000K/6000K
COB Finished: ● ○



LP-D3006A

Power: 30W
Material: AL+PC
Voltage: AC220-240V
Lumen: 2400lm
Adaptor: 2wires/3wires/4wires
Warranty: 2,5 years

CR: ≥ 80
CCT: 3000K/4000K/6000K
COB Finished: ● ○



LP-D4001A

Power: 40W
Material: AL+PC
Voltage: AC220-240V
Lumen: 3600lm
Adaptor: 2wires/3wires/4wires
Warranty: 2,5 years

CR: ≥ 80
CCT: 3000K/4000K/6000K
COB Finished: ● ○





LP-D2410

Power: 24W
 Material: AL
 Voltage: AC220-240V
 Lumen: 2400lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2/5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○



LP-D3210

Power: 32W
 Material: AL
 Voltage: AC220-240V
 Lumen: 3040lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2/5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○



LP-D4010

Power: 40W
 Material: AL
 Voltage: AC220-240V
 Lumen: 3600lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2/5 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○



LP-D1509

Power: 15W
 Material: AL
 Voltage: AC220-240V
 Lumen: 1200lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○



LP-D2509

Power: 25W
 Material: AL
 Voltage: AC220-240V
 Lumen: 2000lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○



LP-D3506

Power: 35W
 Material: AL
 Voltage: AC220-240V
 Lumen: 2800lm
 Adaptor: 2wires/3wires/4wires
 Warranty: 2 years
 CRI: ≥ 80
 CCT: 3000K/4000K/6000K
 COB Finished: ● ○





LP-D1201

Power: 12W
Material: AL
Voltage: AC220-240V
Lumen: 950lm
Warranty: 2/5 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
Finished: ● ○



LP-D2001

Power: 20W
Material: AL
Voltage: AC220-240V
Lumen: 1600lm
Warranty: 2/5 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
Finished: ● ○



LP-D3001

Power: 30W
Material: AL
Voltage: AC220-240V
Lumen: 2400lm
Warranty: 2/5 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
Finished: ● ○



LP-D4001

Power: 40W
Material: AL
Voltage: AC220-240V
Lumen: 3200lm
Warranty: 2/5 years

CRI: ≥ 80
CCT: 3000K/4000K/6000K
Finished: ● ○





NEW
ULTRA-THIN



LP23-G6

Power: 3W
Material: AL
Voltage: DC24V
Lumen: 230lm
Warranty: 2 years


CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP23-G12

Power: 6W
Material: AL
Voltage: DC24V
Lumen: 450lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP23-G18

Power: 10W
Material: AL
Voltage: DC24V
Lumen: 750lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP23-F30

Power: 10W
Material: AL
Voltage: DC24V
Lumen: 650lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP23-F60

Power: 20W
Material: AL
Voltage: DC24V
Lumen: 1300lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●





LP23-S12

Power: 12W
Material: AL
Voltage: DC24V
Lumen: 1020LM
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
COB Finished: ●



LP23-S20

Power: 20W
Material: AL
Voltage: DC24V
Lumen: 1700LM
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
COB Finished: ●



LP15-G6

Power: 6W
Material: AL
Voltage: DC48V
Lumen: 420lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP15-G12

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 840lm
Warranty: 2 years


CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP15-G18

Power: 18W
Material: AL
Voltage: DC48V
Lumen: 1260lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP15-G24

Power: 24W
Material: AL
Voltage: DC48V
Lumen: 1680lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●





LP20-G6

Power: 6W
Material: AL
Voltage: DC48V
Lumen: 420lm
Warranty: 2 years


CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP20-G12

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 840lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP20-G18

Power: 18W
Material: AL
Voltage: DC48V
Lumen: 1260lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP20-G24

Power: 24W
Material: AL
Voltage: DC48V
Lumen: 1680lm
Warranty: 2 years



CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP15-F30

Power: 6W
Material: AL
Voltage: DC48V
Lumen: 650lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP15-F60

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 1300lm
Warranty: 2 years



CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP20-F30

Power: 10W
Material: AL
Voltage: DC48V
Lumen: 650lm
Warranty: 2 years


CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●



LP20-F60

Power: 20W
Material: AL
Voltage: DC48V
Lumen: 1300lm
Warranty: 2 years

CRI: ≥ 90
CCT: 3000/4000/6000K
SMD Finished: ●






LP15-ZD-6

Power: 6W
Material: AL
Voltage: DC48V
Lumen: 420lm
Warranty: 2 years


CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP15-ZD-12

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 840lm
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP20-ZD-6

Power: 6W
Material: AL
Voltage: DC48V
Lumen: 420lm
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP20-ZD-12

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 840lm
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP20-ZD-G18

Power: 18W
Material: AL
Voltage: DC48V
Lumen: 1260lm
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP20-ZD-G24

Power: 24W
Material: AL
Voltage: DC48V
Lumen: 1680lm
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
SMD Finished: ●



LP-SD-12

Power: 12W
Material: AL
Voltage: DC48V
Lumen: 1020LM
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
COB Finished: ●



LP-SD-20

Power: 20W
Material: AL
Voltage: DC48V
Lumen: 1700LM
Warranty: 2 years

CRi: ≥ 90
OCT: 3000/4000/5000K
COB Finished: ●






Ultra thin track system



RECESSED 24/48V LOW VOLTAGE

MODEL	MATERIAL	COLOUR	SIZE (mm)	CARTON	HOLE SIZE
LP23-1R	AL	Black	1000×55×11.8	16PCS	Cutout 28mm
LP23-2R	AL	Black	2000×55×11.8	16PCS	Cutout 28mm
LP23-3R	AL	Black	3000×55×11.8	16PCS	Cutout 28mm



SUSPENDED/SURFACE MOUNTED 24/48V LOW VOLTAGE

MODEL	MATERIAL	COLOUR	SIZE (mm)	CARTON	INSTALLATION
LP23-1S	AL	Black	1000×26.3×7	16PCS	SUSPENDED/SURFACE MOUNTED
LP23-2S	AL	Black	3000×26.3×7	16PCS	SUSPENDED/SURFACE MOUNTED
LP23-3S	AL	Black	3000×26.3×7	16PCS	SUSPENDED/SURFACE MOUNTED



RECESSED 48V LOW VOLTAGE

MODEL	MATERIAL	COLOUR	SIZE (mm)	CARTON	HOLE SIZE
LP-2-1	AL	Black	1000×62×43×34	5PCS	Cutout 34mm
LP-2-2	AL	Black	2000×62×43×34	5PCS	Cutout 34mm
LP-2-3	AL	Black	3000×62×43×34	5PCS	Cutout 34mm
LP-2CD-1	AL	Black	1000×56.3×43.5×29	5PCS	Cutout 30mm
LP-2CD-2	AL	Black	2000×56.3×43.5×29	5PCS	Cutout 30mm
LP-2CD-3	AL	Black	3000×56.3×43.5×29	5PCS	Cutout 30mm



SUSPENDED 48V LOW VOLTAGE

MODEL	MATERIAL	COLOUR	SIZE (mm)	CARTON
LP-3-1	AL	Black	1000×51×26	8PCS
LP-3-2	AL	Black	2000×51×26	8PCS
LP-3-3	AL	Black	3000×51×26	8PCS
LP-3CD-1	AL	Black	1000×47×26	8PCS
LP-3CD-2	AL	Black	2000×47×26	8PCS
LP-3CD-3	AL	Black	3000×47×26	8PCS





SURFACE MOUNTED 48V LOW VOLTAGE


MODEL	MATERIAL	COLOUR	SIZE (mm)	CARTON
LP-4-1	AL	Black	1000×51×26	8PCS
LP-4-2	AL	Black	2000×51×26	8PCS
LP-4-3	AL	Black	3000×51×26	8PCS
LP-4CD-1	AL	Black	1000×47×26	8PCS
LP-4CD-2	AL	Black	2000×47×26	8PCS
LP-4CD-3	AL	Black	3000×47×26	8PCS



POWER SUPPLY 24/48V LOW VOLTAGE

MODEL	POWER	COLOUR	SIZE (mm)	CARTON
LP-48V80W-15D	80W	Black/White	260×16×45.5	50PCS
LP-48V150W-15D	150W	Black/White	300×16×45.5	50PCS
LP-48V100W-20D	100W	Black/White	235×22×43.5	40PCS
LP-48V200W-20D	200W	Black/White	300×22×43.5	40PCS





LP-BGD50120

Power: 25W
Material: PC
Voltage: AC220-240V
Lumen: 1625LM
Warranty: 2 years

CRI: ≥ 80
CCT: 3000/4000/6500K
SMD Finished: ● ○



LP-BGD70120

Power: 40W
Material: PC
Voltage: AC220-240V
Lumen: 2600LM
Warranty: 2 years

CRI: ≥ 80
CCT: 3000/4000/6500K
SMD Finished: ● ○



LP-BGD100120

Power: 42W
Material: PC
Voltage: AC220-240V
Lumen: 3360LM
Warranty: 2 years

CRI: ≥ 80
CCT: 3000/4000/6500K
SMD Finished: ● ○



LP-BGD200120

Power: 72W
Material: Steel+PC
Voltage: AC220-240V
Lumen: 4680LM
Warranty: 2 years


CRI: ≥ 80
CCT: 3000/4000/6500K
SMD Finished: ● ○




LP-BGD300120

Power: 108W
Material: Steel+PC
Voltage: AC220-240V
Lumen: 7020LM
Warranty: 2 years

CRI: ≥ 80
CCT: 3000/4000/6500K
SMD Finished: ● ○





LP-J6060

<19 uan Power: 36W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3240lm/4140lm
Warranty: 2years

<22 uan Power: 36W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3600lm/4500lm
Warranty: 2years



SMD CRI: ≥ 80
CCT: 3000/4000/6500K
Finished: ○

LP-J30120

<19 uan Power: 36W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3240lm/3960lm
Warranty: 2years

<22 uan Power: 36W
Material: AL+Iron
Voltage: AC220-240V
Lumen: 3600lm/4320lm
Warranty: 2years

SMD CRI: ≥ 80
CCT: 3000/4000/6500K
Finished: ○



LP-K6060

<19 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3240lm/4140lm
Warranty: 5years

<22 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3600lm/4500lm
Warranty: 5years

SMD CRI: ≥ 80
CCT: 3000/4000/6500K
Finished: ○

LP-K6262

<19 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3240lm/4140lm
Warranty: 5years

<22 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3600lm/4500lm
Warranty: 5years

SMD CRI: ≥ 80
CCT: 3000/4000/6500K
Finished: ○

LP-K30120

<19 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3240lm/3960lm
Warranty: 5years

<22 uan Power: 36W
Material: AL
Voltage: AC220-240V
Lumen: 3600lm/4320lm
Warranty: 5years

SMD CRI: ≥ 80
CCT: 3000/4000/6500K
Finished: ○



LP-XD260-23W

Power: 23W
 Material: PP
 Voltage: AC220-240V
 Lumen: 1840lm
 Warranty: 2 years


CR: ≥ 80
 OCT: 6500K
 SMD Finished: ● ○



LP-XD380-36W

Power: 36W
 Material: PP
 Voltage: AC220-240V
 Lumen: 2880lm
 Warranty: 2 years

CR: ≥ 80
 OCT: 6500K/DIMMING
 SMD Finished: ● ○




LP-XD480-72W

Power: 72W
 Material: PP
 Voltage: AC220-240V
 Lumen: 5760LM
 Warranty: 2 years

CR: ≥ 80
 OCT: 6500K/DIMMING
 SMD Finished: ● ○



ASSEMBLING





LP-2835-1825

Power: 10W/M
LED Quantity: 120 Led/M
Voltage: DC24V
Lumen: 22-24lm/LED
Warranty: 2 years

CR: ≥ 80
CCT: 3000/4000/6000K
SMD



LP-2835-1830

Power: 12W/M
LED Quantity: 120 Led/M
Voltage: DC24V
Lumen: 22-24lm/LED
Warranty: 2 years

CR: ≥ 80
CCT: 3000/4000/6000K
SMD



LP-2835-1870

Power: 10W/M
LED Quantity: 120 Led/M
Voltage: DC24V
Lumen: 22-24lm/LED
Warranty: 2 years

CR: ≥ 80
CCT: 3000/4000/6000K
SMD



LP-2835-2550

Power: 15W/M
LED Quantity: 152 Led/M
Voltage: DC24V
Lumen: 22-24lm/LED
Warranty: 5 years

CR: ≥ 95
CCT: 3000/4000/6000K
SMD



LP-COB-2828

Power: 10W/M
LED Quantity: 280 Led/M
Voltage: DC24V
Lumen: 22-24lm/LED
Warranty: 2 years

CR: ≥ 80
CCT: 3000/4000/6000K
COB




















MODEL NO.	POWER	VOLTAGE	SIZE(MM)	CARTON
LP-24V100W	100W	DC24V	138*48*23	90PCS
LP-24V200W	200W	DC24V	185*48*23	70PCS
LP-24V300W	300W	DC24V	185*58.5*28	45PCS
LP-24V400W	400W	DC24V	222*58.5*28	40PCS



THANH NHÔM CHO DẢI LED

 <p>LP-X-10x10x0.7A LENGTH: 3050mm THICKNESS: 0.7mm FINISHED: SAND WHITE</p> 	 <p>LP-X-19.9x10B LENGTH: 3050mm THICKNESS: 0.75mm FINISHED: SAND WHITE</p> 
 <p>LP-X-10x10x0.7C LENGTH: 3050mm THICKNESS: 0.7mm FINISHED: SAND WHITE</p> 	 <p>LP-SDY-47x13.2 LENGTH: 3050mm THICKNESS: 1.3mm FINISHED: SAND WHITE</p> 
 <p>LP-X-15.1x9A LENGTH: 3050mm THICKNESS: 1.0mm FINISHED: SAND WHITE</p> 	 <p>LP-PY-47x13 LENGTH: 3050mm THICKNESS: 1.3mm FINISHED: SAND WHITE</p> 
 <p>LP-X-15.1x9B LENGTH: 3050mm THICKNESS: 1.0mm FINISHED: SAND WHITE</p> 	 <p>LP-PY-31x13 LENGTH: 3050mm THICKNESS: 1.3mm FINISHED: SAND WHITE</p> 